

- [55] Bakarov A. A survey of word embeddings evaluation methods. arXiv: Computation and Language, 2018. <https://arxiv.org/abs/1801.09536>
- [56] Artetxe M, Labaka G, Lopezgazpio I, *et al.* Uncovering divergent linguistic information in word embeddings with lessons for intrinsic and extrinsic evaluation. In: Proc. of the Conf. on CoNLL. 2018. 282–291.
- [57] Zhao JQ, Gui XL. Deep convolution neural networks for twitter sentiment analysis. IEEE Access, 2018,6:23253–23260.
- [58] Naili M, Chaibi AH, Ben Ghezala HH. Comparative study of word embedding methods in topic segmentation. Procedia Computer Science, 2017,112:340–349.
- [59] Mccann B, Bradbury J, Xiong C, *et al.* Learned in translation: Contextualized word vectors. In: Proc. of the 31st Conf. on NIPS. 2017. 6294–6305.
- [60] Peters ME, Neumann M, Iyyer M, *et al.* Deep contextualized word representations. In: Proc. of the NAACL-HLT. 2018. 2227–2237.
- [61] Wu HC, Luk RW, Wong K, *et al.* Interpreting TF-IDF term weights as making relevance decisions. ACM Trans. on Information Systems, 2008,26(3).
- [62] Yu AW, Dohan D, Luong M, *et al.* QANet: Combining local convolution with global self-attention for reading comprehension. In: Proc. of the ICLR. 2018. <http://export.arxiv.org/abs/1804.09541v1>
- [63] Williams RJ, Zipser D. A learning algorithm for continually running fully recurrent neural networks. Neural Computation, 1989, 1(2):270–280.
- [64] Hochreiter S, Schmidhuber J. Long short-term memory. Neural Computation, 1997,9(8):1735–1780.
- [65] Cho K, Van Merriënboer B, Gulcehre C, *et al.* Learning phrase representations using RNN encoder-decoder for statistical machine translation. In: Proc. of the 2014 Conf. on EMNLP. 2014. 1724–1734.
- [66] Lecun Y, Bengio Y. Convolutional networks for images, speech, and time series. In: The Handbook of Brain Theory and Neural Networks. MIT Press, 1998.
- [67] Cui Y, Chen Z, Wei S, *et al.* Attention-over-attention neural networks for reading comprehension. In: Proc. of the 55th Conf. on ACL. 2017. 593–602.
- [68] Zhang X, Zhao JJ, Lecun Y, *et al.* Character-level convolutional networks for text classification. In: Proc. of the 29th Conf. on NIPS. 2015. 649–657.
- [69] Sutskever I, Vinyals O, Le QV, *et al.* Sequence to sequence learning with neural networks. In: Proc. of the 28th Conf. on NIPS. 2014. 3104–3112.
- [70] Luong T, Pham H, Manning CD, *et al.* Effective approaches to attention-based neural machine translation. In: Proc. of the 2015 Conf. on EMNLP. 2015. 1412–1421.
- [71] Bahdanau D, Cho K, Bengio Y, *et al.* Neural machine translation by jointly learning to align and translate. In: Proc. of the ICLR. 2015.
- [72] Rocktaschel T, Grefenstette E, Hermann KM, *et al.* Reasoning about entailment with neural attention. In: Proc. of the ICLR. 2016.
- [73] Rush AM, Chopra S, Weston J, *et al.* A neural attention model for abstractive sentence summarization. In: Proc. of the 2015 Conf. on EMNLP. 2015. 379–389.
- [74] Yin W, Schutze H, Xiang B, *et al.* ABCNN: Attention-based convolutional neural network for modeling sentence pairs. Trans. of the Association for Computational Linguistics, 2016,4(1):259–272.
- [75] Wang WH, Yang N, Wei FR, *et al.* Gated selfmatching networks for reading comprehension and question answering. In: Proc. of the 55th Conf. on ACL. 2017. 189–198.
- [76] Sun F, Li L, Qiu X, *et al.* U-Net: Machine reading comprehension with unanswerable questions. arXiv: Computation and Language, 2018. <https://arxiv.org/abs/1810.06638>
- [77] Vinyals O, Fortunato M, Jaitly N, *et al.* Pointer networks. In: Proc. of the 29th Conf. on NIPS. 2015. 2692–2700.
- [78] Chen D, Fisch A, Weston J, *et al.* Reading Wikipedia to answer open-domain questions. In: Proc. of the 55th Conf. on ACL. 2017. 1870–1879.
- [79] Radford A, Narasimhan K, Salimans T, *et al.* Improving language understanding by generative pre-training. 2018. <https://www.cs.ubc.ca/~amuham01/LING530/papers/radford2018improving.pdf>

- [80] Zhu Y, Kiros R, Zemel RS, *et al.* Aligning books and movies: Towards story-like visual explanations by watching movies and reading books. In: Proc. of the IEEE ICCV. 2015. 19–27.
- [81] Kalchbrenner N, Espeholt L, Simonyan K, *et al.* Neural machine translation in linear time. arXiv: Computation and Language, 2016. <https://arxiv.org/abs/1610.10099>
- [82] Taylor WL. “Cloze procedure”: A new tool for measuring readability. *Journalism Bulletin*, 1953,30(4):415–433.
- [83] Bollacker K, Evans C, Paritosh P, *et al.* Freebase: A collaboratively created graph database for structuring human knowledge. In: Proc. of the Int’l Conf. on Management of Data. 2008. 1247–1250.
- [84] Bordes A, Usunier N, Chopra S, *et al.* Large-scale simple question answering with memory networks. arXiv: Learning, 2015. <https://arxiv.org/abs/1506.02075>
- [85] Fader A, Zettlemoyer LS, Etzioni O, *et al.* Open question answering over curated and extracted knowledge bases. In: Proc. of the Knowledge Discovery and Data Mining. 2014. 1156–1165.
- [86] Brill ED, Dumais ST, Banko M, *et al.* An analysis of the AskMSR question-answering system. In: Proc. of the 2002 Conf. on EMNLP. 2002. 257–264.
- [87] Ferrucci DA, Brown EW, Chucarro J, *et al.* Building Watson: An overview of the DeepQA project. *AI Magazine*, 2010,31(3): 59–79.
- [88] Baudis P, Sedivý J. Modeling of the question answering task in the YodaQA system. In: Proc. of the Cross Language Evaluation Forum. 2015. 222–228.
- [89] Berant J, Chou AK, Frostig R, *et al.* Semantic parsing on freebase from question-answer pairs. In: Proc. of the 2013 Conf. on EMNLP. 2013. 1533–1544.
- [90] Miller AH, Fisch A, Dodge J, *et al.* Key-value memory networks for directly reading documents. In: Proc. of the 2016 Conf. on EMNLP. 2016. 1400–1409.
- [91] Riloff E, Thelen M. A rule-based question answering system for reading comprehension tests. In: Proc. of the Workshop on Reading Comprehension (NAACL/ANLP 2000). 2000. 13–19.
- [92] Mason WA, Suri S. Conducting behavioral research on Amazon’s mechanical Turk. *Behavior Research Methods*, 2012,44(1):1–23.
- [93] Gaikwad S, Morina D, Nistala R, *et al.* Daemo: A self-governed crowdsourcing marketplace. In: Proc. of the 28th ACM UIST. 2015. 101–102.
- [94] Miller AH, Feng W, Batra D, *et al.* ParlAI: A dialog research software platform. In: Proc. of the 2017 Conf. on EMNLP. 2017. 79–84.
- [95] Svore KM, Vanderwende L, Burges CJ, *et al.* Enhancing single-document summarization by combining RankNet and third-party sources. In: Proc. of the 2007 Conf. on EMNLP. 2007. 448–457.
- [96] Woodsend K, Lapata M. Automatic generation of story highlights. In: Proc. of the 48th Conf. on ACL. 2010. 565–574.
- [97] Clark P, Etzioni O, Khot T, *et al.* Combining retrieval, statistics, and inference to answer elementary science questions. In: Proc. of the AAAI. 2016. 2580–2586.
- [98] Schoenick C, Clark P, Tafjord O, *et al.* Moving beyond the turing test with the Allen AI science challenge. *Communications of the ACM*, 2017,60(9):60–64.
- [99] Zhang JP, Chapman WW, Crowley RS. Coreference resolution: A review of general methodologies and applications in the clinical domain. *Journal of Biomedical Informatics*, 2011,44(6):1113–1122.
- [100] Xiong C, Zhong V, Socher R, *et al.* Dynamic coattention networks for question answering. In: Proc. of the ICLR. 2017.
- [101] Weissenborn D, Wiese G, Seiffe L, *et al.* Making neural QA as simple as possible but not simpler. In: Proc. of the Conf. on CoNLL. 2017. 271–280.
- [102] Pan B, Li H, Zhao Z, *et al.* MEMEN: Multi-layer embedding with memory networks for machine comprehension. arXiv: Artificial Intelligence, 2017. <https://arxiv.org/pdf/1707.09098.pdf>
- [103] Trischler A, Ye Z, Yuan X, *et al.* Natural language comprehension with the EpiReader. In: Proc. of the 2016 Conf. on EMNLP. 2016. 128–137.
- [104] Liu R, Wei W, Mao W, *et al.* Phase conductor on multi-layered attentions for machine comprehension. arXiv: Computation and Language, 2018. <https://arxiv.org/pdf/1710.10504.pdf>

- [105] Huang H, Zhu C, Shen Y, *et al.* FusionNet: Fusing via fully-aware attention with application to machine comprehension. In: Proc. of the ICLR. 2018.
- [106] Parikh S, Sai AB, Nema P, *et al.* ElimiNet: A model for eliminating options for reading comprehension with multiple choice questions. In: Proc. of the Int'l Joint Conf. on Artificial Intelligence (IJCAI). 2018. 4272–4278.
- [107] Tay Y, Tuan LA, Hui SC, *et al.* Multi-range reasoning for machine comprehension. arXiv: Computation and Language, 2018. <https://arxiv.org/abs/1803.09074v1>
- [108] Liu X, Shen Y, Duh K, *et al.* Stochastic answer networks for machine reading comprehension. In: Proc. of the 56th Conf. on ACL. 2018. 1694–1704.
- [109] Radford A, Narasimhan K, Salimans T, *et al.* Improving language understanding by generative pre-training. https://s3-us-west-2.amazonaws.com/openai-assets/research-covers/language-unsupervised/language_understanding_paper.pdf
- [110] Wang W, Yan M, Wu C, *et al.* Multi-granularity hierarchical attention fusion networks for reading comprehension and question answering. In: Proc. of the 56th Conf. on ACL. 2018. 1705–1714.
- [111] Hu M, Wei F, Peng Y, *et al.* Read+Verify: Machine reading comprehension with unanswerable questions. arXiv: Computation and Language, 2018. <https://arxiv.org/pdf/1808.05759.pdf>
- [112] Wang C, Jiang H. Exploring machine reading comprehension with explicit knowledge. arXiv: Artificial Intelligence, 2018. <https://arxiv.org/pdf/1809.03449.pdf>
- [113] Hu M, Peng Y, Huang Z, *et al.* Attention-guided answer distillation for machine reading comprehension. In: Proc. of the 2018 Conf. on EMNLP. 2018. 2077–2086.
- [114] Yatskar M. A qualitative comparison of CoQA, SQuAD 2.0 and QuAC. arXiv: Computation and Language, 2018. <https://arxiv.org/pdf/1809.10735.pdf>
- [115] Chen Z, Cui Y, Ma W, *et al.* Convolutional spatial attention model for reading comprehension with multiple-choice questions. In: Proc. of the National Conf. on Artificial Intelligence. 2019.
- [116] Chen Y, Wu LF, Zaki MJ. GRAPHFLOW: Exploiting conversation flow with graph neural networks for conversational machine comprehension. 2019. <https://graphreason.github.io/papers/13.pdf>
- [117] Zhu C, Zeng M, Huang X. SDNet: Contextualized attention-based deep network for conversational question answering. arXiv: Computation and Language, 2019. <https://arxiv.org/pdf/1812.03593.pdf>
- [118] Xiao Y, Qu Y, Qiu L, *et al.* Dynamically fused graph network for multi-hop reasoning. arXiv: Computation and Language, 2019. <https://arxiv.org/abs/1905.06933>
- [119] Nishida K, Nishida K, Nagata M, *et al.* Answering while summarizing: Multi-task learning for multi-hop QA with evidence extraction. arXiv: Computation and Language, 2019. <https://arxiv.org/abs/1905.08511>
- [120] Chen D, Bolton J, Manning CD, *et al.* A thorough examination of the CNN/daily mail reading comprehension task. In: Proc. of the 54th Conf. on ACL. 2016. 2358–2367.
- [121] Weston J, Chopra S, Bordes A, *et al.* Memory networks. In: Proc. of the ICLR. 2015.
- [122] Bahdanau D, Cho K, Bengio Y, *et al.* Neural machine translation by jointly learning to align and translate. In: Proc. of the ICLR. 2015.
- [123] Kadlec R, Schmid M, Bajgar O, *et al.* Text understanding with the attention sum reader network. In: Proc. of the 54th Conf. on ACL. 908–918.
- [124] Xiong C, Merity S, Socher R, *et al.* Dynamic memory networks for visual and textual question answering. In: Proc. of the Int'l Conf. on Machine Learning. 2016. 2397–2406.
- [125] Goodfellow IJ, Wardefarley D, Mirza M, *et al.* Maxout networks. ICML, 2013,28(3):1319–1327.
- [126] Srivastava RK, Greff K, Schmidhuber J, *et al.* Training very deep networks. In: Proc. of the 29th Conf. on NIPS. 2015. 2377–2385.
- [127] Hu M, Peng Y, Huang Z, *et al.* Reinforced mnemonic reader for machine reading comprehension. In: Proc. of the Int'l Joint Conf. on Artificial Intelligence (IJCAI). 2018. 4099–4106.
- [128] You Y, Li J, Reddi S, *et al.* Large batch optimization for deep learning: Training BERT in 76 minutes. arXiv: Machine Learning, 2019. <https://arxiv.org/abs/1904.00962>

- [129] Chen DQ. Neural reading comprehension and beyond [Ph.D. Thesis]. Stanford University, 2018. <https://cs.stanford.edu/~danqi/papers/thesis.pdf>
- [130] Jia R, Liang P. Adversarial examples for evaluating reading comprehension systems. In: Proc. of the 2017 Conf. on EMNLP. 2017. 2021-2031.



顾迎捷(1992-),男,学士,主要研究领域为机器阅读理解,自然语言处理.



沈毅(1994-),男,学士,主要研究领域为机器阅读理解,自然语言处理.



桂小林(1966-),男,博士,教授,博士生导师,CCF 高级会员,主要研究领域为物联网,云计算,大数据分析 with 隐私保护,信息安全.



廖东(1995-),男,学士,主要研究领域为大数据分析,边缘计算.



李德福(1996-),男,学士,主要研究领域为机器阅读理解,自然语言处理.