[3] Govindan S, Sivasubramaniam A, Urgaonkar B. Benefits and limitations of tapping into stored energy for datacenters. In: Proc. of the 38th Annual Int'l Symp. on Computer architecture (ISCA 2011). New York: IEEE, 2011. 341−351. [doi: 10.1145/2024723.2000105]

[4] Macken P, Degrauwe M, Van Paemel M, Oguey H. A voltage reduction technique for digital systems. In: Proc. of the 37th IEEE Int'l Solid-State Circuits Conf. on Digest of Technical Papers (ISSCC). New York: IEEE, 1990. 238−239. [doi: 10.1109/ISSCC.1990.110213]

[5] Isci C, Buyuktosunoglu A, Cher CY, Bose P, Martonosi M. An analysis of efficient multi-core global power management policies: Maximizing performance for a given power budget. In: Proc. of the 39th Annual IEEE/ACM Int'l Symp. on Microarchitecture. New York: IEEE, 2006. 347−358. [doi: 10.1109/MICRO.2006.8]

[6] Kim W, Gupta MS, Wei GY, Brooks D. System level analysis of fast, per-core DVFS using on-chip switching regulators. In: Proc. of the 2008 IEEE 14th Int'l Symp. on High Performance Computer Architecture (HPCA 2008). New York: IEEE, 2008. 123−134. [doi: 10.1109/HPCA.2008.4658633]

[7] Semeraro G, Magklis G, Balasubramonian R, Albonesi DH, Dwarkadas S, Scott ML. Energy-Efficient processor design using multiple clock domains with dynamic voltage and frequency scaling. In: Proc. of the 8th Int'l Symp. on High Performance Computer Architecture (HPCA-8 2002). New York: IEEE, 2002. 29−40. [doi: 10.1109/HPCA.2002.995696]

[8] Wu Q, Juang P, Martonosi M, Clark DW. Voltage and frequency control with adaptive reaction time in multiple-clock-domain processors. In: Proc. of the 11th Int'l Symp. on High-Performance Computer Architecture (HPCA-11 2005). New York: IEEE, 2005. 178−189. [doi: 10.1109/HPCA.2005.43]

[9] Lee WY, Ko YW, Lee H, Kim H. Energy-Efficient scheduling of a real-time task on DVFS-enabled multi-cores. In: Proc. of the 2009 Int'l Conf. on Hybrid Information Technology (ICHIT 2009). New York: ACM Press, 2009. 273−277. [doi: 10.1145/1644993.1645046]

[10] Lo D, Song T, Suh GE. Prediction-Guided performance-energy trade-off for interactive applications. In: Proc. of the 48th Int'l Symp. on Microarchitecture (MICRO 48). New York: ACM Press, 2015. 508−520. [doi: 10.1145/2830772.2830776]

[11] Zhu H, Erez M. Dirigent: Enforcing QoS for latency-critical tasks on shared multicore systems. In: Proc. of the 21st Int'l Conf. on Architectural Support for Programming Languages and Operating Systems (ASPLOS 2016). New York: ACM Press, 2016. 33−47. [doi: 10.1145/2872362.2872394]

[12] Hsu CH, Zhang Y, Laurenzano MA, Meisner D. Adrenaline: Pinpointing and reining in tail queries with quick voltage boosting. In: Proc. of the 2015 IEEE 21st Int'l Symp. on High Performance Computer Architecture (HPCA 2015). New York: IEEE, 2015. 271−282. [doi: 10.1109/HPCA.2015.7056039]

[13] Vamanan B, Sohail HB, Hasan J, Vijaykumar TN. Timetrader: Exploiting latency tail to save datacenter energy for online search. In: Proc. of the 48th Int'l Symp. on Microarchitecture (MICRO 48). New York: ACM Press, 2015. 585−597. [doi: 10.1145/2830772.2830779]

[14] Lo D, Cheng L, Govindaraju R, Ranganathan P, Kozyrakis C. Heracles: Improving resource efficiency at scale. ACM Sigarch Computer Architecture News, 2015,43(3):450−462. [doi: 10.1145/2872887.2749475]

[15] Xie F, Martonosi M, Malik S. Compile-Time dynamic voltage scaling settings: Opportunities and limits. In: Proc. of the ACM SIGPLAN 2003 Conf. on Programming Language Design and Implementation (PLDI 2003). New York: ACM, 2003. 49−62. [doi: 10.1145/780822.781138]

[16] Wu Q, Martonosi M, Clark DW, Jin L. A dynamic compilation framework for controlling microprocessor energy and performance. In: Proc. of the 38th Annual IEEE/ACM Int'l Symp. on Microarchitecture (MICRO 38). New York: IEEE Computer Society, 2005. 271−282. [doi: 10.1109/MICRO.2005.7]

[17] Wang YH, Wang KL, Sun XK, Zhang DS, Wu F. Research and implementation of DVFS energy saving technologies based on CPUfreq. Computer Measurement & Control, 2016,24(2):151−154 (in Chinese with English abstract).

[18] Miftakhutdinov R, Ebrahimi E, Patt YN. Predicting performance impact of DVFS for realistic memory systems. In: Proc. of the 45th Annual IEEE/ACM Int'l Symp. on Microarchitecture (MICRO 45). New York: IEEE Computer Society, 2012. 155−165. [doi: 10.1109/MICRO.2012.23]

[19] Keramidas G, Spiliopoulos V, Kaxiras S. Interval-Based models for run-time DVFS orchestration in superscalar processors. In: Proc. of the 7th ACM Int'l Conf. on Computing Frontiers (CF 2010). New York: ACM Press, 2010. 287−296. [doi: 10.1145/1787275.1787338]

[20] Liu NT, Weng Y, Lin Y, Zhang WR,Wei ZL, Shao K. Dynamic power management scheme based on software behavior prediction. Computer Engineering, 2015,41(6):269−273, 279 (in Chinese with English abstract).

[21] Hu ZG, Ouyang C, Yan CK. Resource load balancing method for energy-consumption reducingin cloud environment. Computer Engineering, 2012,38(5):53−55 (in Chinese with English abstract).

[22] Goh LK, Veeravalli B, Viswanathan S. Design of fast and efficient energy-aware gradient-based scheduling algorithms heterogeneous embedded multiprocessor systems. IEEE Trans. on Parallel and Distributed Systems, 2009,20(1):1−12. [doi: 10.1109/TPDS.2008.55]

[23] Kim KH, Beloglazov A, Buyya R. Power-Aware provisioning of virtual machines for real-time cloud services. Concurrency and Computation: Practice and Experience, 2011,23(13):1491−1505. [doi: 10.1002/cpe.1712]

[24] Von Laszewski G, Wang L, Younge AJ, He X. Power-Aware scheduling of virtual machines in DVFS-enabled clusters. In: Proc. of the 2009 IEEE Int'l Conf. on Cluster Computing and Workshops (CLUSTER 2009). New York: IEEE, 2009. 1−10. [doi: 10.1109/CLUSTR.2009.5289182]

[25] Wang L, Von Laszewski G, Dayal J, Wang F. Towards energy aware scheduling for precedence constrained parallel tasks in a cluster with DVFS. In: Proc. of the 10th IEEE/ACM Int'l Conf. on Cluster Cloud and Grid Computing (CCGrid 2010). New York: IEEE, 2010. 368−377. [doi: 10.1109/CCGRID.2010.19]

[26] Zhang XQ, He ZT, Li CL, Zhang HX, Qian QF. Research on energy saving algorithm of datacenter in cloud computing system. Application Research of Computers, 2013,30(4):961−964 (in Chinese with English abstract).

[27] Chen Y, Jia GY, Li X, Zhang HP. Task behavior based on DVFS mechanism. Computer Systems and Applications, 2013,22(10): 1−7 (in Chinese with English abstract).

[28] Beloglazov A, Buyya R. Energy efficient allocation of virtual machines in cloud data centers. In: Proc. of the 10th IEEE/ACM Int'l Conf. on Cluster Cloud and Grid Computing (CCGrid 2010). New York: IEEE, 2010. 577−578. [doi: 10.1109/CCGRID.2010.45]

[29] Nathuji R, Schwan K. VirtualPower: Coordinated power management in virtualized enterprise systems. In: Proc. of the 21st ACM SIGOPS Symp. on Operating Systems Principles (SOSP 2007). New York: ACM SIGOPS Operating Systems Review, 2007. 265−278. [doi: 10.1145/1323293.1294287]

[30] Stoess J, Lang C, Bellosa F. Energy management for hypervisor-based virtual machines. In: Proc. of the USENIX Annual Technical Conf. New York: IEEE, 2007. 1−14.

[31] Van HN, Tran FD, Menaud JM. Performance and power management for cloud infrastructures. In: Proc. of the 2010 IEEE 3rd Int'l Conf. on Cloud Computing (CLOUD). New York: IEEE, 2010. 329−336. [doi: 10.1109/CLOUD.2010.25]

[32] Zeng ZB, Xu L. Energy efficiency virtual resource allocation stratage for cloud computing. Computer Systems and Applications, 2011,20(12):55−60 (in Chinese with English abstract).

[33] Liu PC. Research on virtual machine live migration in cloud computing [MS. Thesis]. Shanghai: Fudan University, 2009 (in Chinese with English abstract).

[34] Wu Q, Xiong GZ. Adaptive dynamic power management for non-stationary self-similar requests. Ruan Jian Xue Bao/Journal of Software, 2005,16(8):1499−1505 (in Chinese with English abstract). http://www.jos.org.cn/1000-9825/16/1499.htm

[35] Liu H. Research on WMSNs key technologies in energy conservationin cloud computing center [Ph.D. Thesis]. Dalian: Dalian University of Technology, 2011 (in Chinese with English abstract).

[36] Tan YM, Zeng GS, Wang W. Policy of energy optimal management for cloud computing platform with stochastic tasks. Ruan Jian Xue Bao/Journal of Software, 2012,23(2):266−278 (in Chinese with English abstract). http://www.jos.org.cn/1000-9825/4143.htm [doi: 10.3724/SP.J.1001.2012.04143]

[37] Femal ME, Freeh VW. Boosting data center performance through non-uniform power allocation. In: Proc. of the 2nd Int'l Conf. on Autonomic Computing (ICAC 2005). New York: IEEE, 2005. 250−261. [doi: 10.1109/ICAC.2005.17]

[38] Gandhi A, Harchol-Balter M, Das R, Lefurgy C. Optimal power allocation in server farms. ACM SIGMETRICS Performance Evaluation Review, 2009,37(1):157−168. [doi: 10.1145/2492101.1555368]

[39] Cochran R, Hankendi C, Coskun AK, Reda S. Pack & Cap: Adaptive DVFS and thread packing under power caps. In: Proc. of the 44th Annual IEEE/ACM Int'l Symp. on Microarchitecture (MICRO-44 2011). New York: ACM Press, 2011. 175−185. [doi: 10.1145/2155620.2155641]

[40] Rossi FD, Storch M, de Oliveira I, De Rose CAF. Modeling power consumption for DVFS policies. In: Proc. of the 2015 IEEE Int'l Symp. on Circuits and Systems (ISCAS). New York: IEEE, 2015. 1879−1882. [doi: 10.1109/ISCAS.2015.7169024]

[41] Akram S, Sartor JB, Eeckhout L. DVFS performance prediction for managed multithreaded applications. In: Proc. of the 2016 IEEE Int'l Symp. on Performance Analysis of Systems and Software (ISPASS). New York: IEEE, 2016. 12−23. [doi: 10.1109/ISPASS.2016.7482070]

[42] Intel 64 and IA-32 architectures optimization reference manual. 2016, Chapter 2, 2.2.4. http://www.intel.com/content/dam/www/public/us/en/documents/manuals/64-ia-32-architectures-optimization-manual.pdf

[43] Intel. Intel VTune amplifier XE. 2013. https://software.intel.com/en-us/intel-vtune-amplifier-xe

[44] Intel. Intel memory latency checker v3.1. 2016. https://software.intel.com/en-us/articles/intelr-memory-latency-checker

[45] Bienia C, Kumar S, Singh JP, Li K. The PARSEC benchmark suite: Characterization and architectural implications. In: Proc. of the 17th Int'l Conf. on Parallel Architectures and Compilation Techniques (PACT 2008). New York: ACM Press, 2008. 72−81. [doi: 10.1145/1454115.1454128]

[46] Zhu H, Erez M. Dirigent: Enforcing QoS for latency-critical tasks on shared multicore systems. In: Proc. of the 21st Int'l Conf. on Architectural Support for Programming Languages and Operating Systems (ASPLOS 2016). New York: ACM Press, 2016. 33−47. [doi: 10.1145/2872362.2872394]

[47] Wang W, Dey T, Mars J, Tang LJ, Davidson JW, Soffa ML. Performance analysis of thread mappings with a holistic view of the hardware resources. In: Proc. of the 2012 IEEE Int'l Symp. on Performance Analysis of Systems & Software (ISPASS). New York: IEEE, 2012. 156−167. [doi: 10.1109/ISPASS.2012.6189222]

[48] Park H, Baek S, Choi J, Lee D, Noh SH. Regularities considered harmful: Forcing randomness to memory accesses to reduce row buffer conflicts for multi-core, multi-bank systems. ACM SIGARCH Computer Architecture News, 2013,41(1):181−192. [doi: 10.1145/2499368.2451137]

**附中文参考文献**:

[17] 王益涵,王凯林,孙宪坤,张冬松,吴飞.基于 CPUfreq 的 DVFS 节能技术的研究与实现.计算机测量与控制,2016,24(2):151−154.

[20] 刘念唐,翁宇,林雨,张文睿,韦志磊,邵堃.基于软件行为预测的动态电源管理方案.计算机工程,2015,41(6):269−273,279.

[21] 胡志刚,欧阳晟,阎朝坤.云环境下面向能耗降低的资源负载均衡方法.计算机工程,2012,38(5):53−55.

[26] 张小庆,贺忠堂,李春林,张恒喜,钱琼芬.云计算系统中数据中心的节能算法研究.计算机应用研究,2013,30(4):961−964.

[27] 陈云,贾刚勇,李曦,张海鹏.基于任务行为分析的 DVFS 机制.计算机系统应用,2013,22(10):1−7.

[32] 曾智斌,许力.云计算中高能效的虚拟资源分配策略.计算机系统应用,2011,20(12):55−60.

[33] 刘鹏程.云计算中虚拟机动态迁移的研究[硕士学位论文].上海:复旦大学,2009.

[34] 吴琦,熊光泽.非平稳自相似业务下自适应动态功耗管理.软件学报,2005,16(8):1499−1505. http://www.jos.org.cn/1000-9825/16/1499.htm

[35] 刘航.WMSNs 在云计算中心节能减排中的关键技术研究[博士学位论文].大连:大连理工大学,2011.

[36] 谭一鸣,曾国荪,王伟.随机任务在云计算平台中能耗的优化管理方法.软件学报,2012,23(2):266−278. http://www.jos.org.cn/1000-9825/4143.htm [doi:10.3724/SP.J.1001.2012.04143]



**李登辉**(1993－),男,湖北荆门人,学士,主要研究领域为并行计算,并行编译,并行编程环境.

**崔慧敏**(1979－),女,博士,副研究员,CCF 专业会员,主要研究领域为并行计算,并行编译,并行编程.

**赵家程**(1989－),男,学士,CCF 学生会员,主要研究领域为并行计算,并行编译,并行编程环境.

**冯晓兵**(1969－),男,博士,教授,博士生导师,CCF 杰出会员,主要研究领域为先进编译技术及相关工具环境.