







































点.实验结果表明,在大多数情况下,本文提出的方法能够以牺牲较小的覆盖率和多样性为代价,有效提升推荐准确率,证明了该方法具有较高的整体推荐性能.目前,两种基本融合方法的效用好坏仍没有定论,本文提出的方法基于两种基本融合方法,在两种基本融合方法的推荐性能差距较小时,改进方法拥有比两种基本融合方法都要高的推荐准确率,因此,采用改进方法可以解决选择性问题.

改进方法将个人偏好与群组偏好混合起来,增加了相似度计算的时间复杂度,进行列表融合等操作时增加了方法实现的难度.因此,如何提高改进方法的推荐效率,是进一步研究时需要解决的问题.

## References:

- [1] Xu HL, Wu X, Li XD, Yan BP. Comparison study of internet recommendation system. *Ruan Jian Xue Bao/Journal of Software*, 2009,20(2):350–362 (in Chinese with English abstract). <http://www.jos.org.cn/1000-9825/3388.htm>
- [2] Park Y, Park S, Jung W, Lee SG. Reversed CF: A fast collaborative filtering algorithm using a  $k$ -nearest neighbor graph. *Expert Systems with Applications*, 2015,42(8):4022–4028. [doi: 10.1016/j.eswa.2015.01.001]
- [3] Ma H, Yang H, Lyu MR, King I. SoRec: Social recommendation using probabilistic matrix factorization. In: *Proc. of the 17th ACM Conf. on Information and Knowledge Management*. ACM Press, 2008. 931–940. [doi: 10.1145/1458082.1458205]
- [4] Shi Y, Larson M, Hanjalic A. Mining mood-specific movie similarity with matrix factorization for context-aware recommendation. In: *Proc. of the Workshop on Context-Aware Movie Recommendation*. Barcelona: ACM Press, 2010. 34–40. [doi: 10.1145/1869652.1869658]
- [5] Meng XW, Hu X, Wang LC, Zhang YJ. Mobile recommender systems and their applications. *Ruan Jian Xue Bao/Journal of Software*, 2013,24(1):91–108 (in Chinese with English abstract). <http://www.jos.org.cn/1000-9825/4292.htm> [doi: 10.3724/SP.J.1001.2013.04292]
- [6] Wang LC, Meng XW, Zhang YJ. Context-Aware recommender systems. *Ruan Jian Xue Bao/Journal of Software*, 2012,23(1):1–20 (in Chinese with English abstract). <http://www.jos.org.cn/1000-9825/4100.htm> [doi: 10.3724/SP.J.1001.2012.04100]
- [7] Meng XW, Liu SD, Zhang YJ, Hu X. Research on social recommender systems. *Ruan Jian Xue Bao/Journal of Software*, 2015, 26(6):1356–1372 (in Chinese with English abstract). <http://www.jos.org.cn/1000-9825/4831.htm> [doi: 10.13328/j.cnki.jos.004831]
- [8] Zhang YJ, Du YL, Meng XW. Research on group recommender systems and their applications. *Chinese Journal of Computers*, 2016,39(4):745–764 (in Chinese with English abstract). [doi: 10.11897/SP.J.1016.2016.00745]
- [9] Garcia I, Sebastia L, Onaindia E. On the design of individual and group recommender systems for tourism. *Expert Systems with Applications*, 2011,38(6):7683–7692. [doi: 10.1016/j.eswa.2010.12.143]
- [10] Jameson A, Smyth B. Recommendation to groups. In: *The Adaptive Web*. Berlin: Springer-Verlag, 2007. 596–627. [doi: 10.1007/978-3-540-72079-9\_20]
- [11] Dyer JS, Sarin RK. Group preference aggregation rules based on strength of preference. *Management Science*, 1979,25(9):822–832. [doi: 10.1287/mnsc.25.9.822]
- [12] Masthoff J. *Recommender Systems Handbook*. New York: Springer-Verlag, 2010. 677–702.
- [13] Baltrunas L, Makcinskas T, Ricci F. Group recommendations with rank aggregation and collaborative filtering. In: *Proc. of the 4th ACM Conf. on Recommender Systems (RecSys 2010)*. Barcelona: ACM Press, 2010. 407–423.
- [14] Mccarthy JF, Anagnost TD. MusicFX: An arbiter of group preferences for computer supported collaborative workouts. In: *Proc. of the 1998 ACM Conf. on Computer Supported Cooperative Work*. ACM Press, 1998. 363–372. [doi: 10.1145/289444.289511]
- [15] Quijano-Sánchez L, Díaz-Agudo B, Recio-García JA. Development of a group recommender application in a social network. *Knowledge-Based Systems*, 2014,71:72–85. [doi: 10.1016/j.knosys.2014.05.013]
- [16] Berry S, Fazzio S, Zhou Y, Scott B, Francisco-Revilla L. Netflix recommendations for groups. *American Society for Information Science*, 2010,47(1):150.
- [17] Guzzi F, Ricci F, Burke R. Interactive multi-party critiquing for group recommendation. In: *Proc. of the Conf. on Recommender Systems (RecSys 2011)*. Chicago: ACM Press, 2011. 265–268. [doi: 10.1145/2043932.2043980]
- [18] Beckmann C, Gross T. AGReMo: Providing ad-hoc groups with on-demand recommendations on mobile devices. In: *Proc. of the Conf. of the European Association of Cognitive Ergonomics*. Rostock: ACM Press, 2011. 179–182. [doi: 10.1145/2074712.2074747]

- [19] Gorla J, Lathia N, Robertson S, Wang J. Probabilistic group recommendation via information matching. In: Proc. of the 22nd Int'l Conf. on World Wide Web. New York: ACM Press, 2013. 495–504. [doi: 10.1145/2488388.2488432]
- [20] Feng X, Zhang X, Wu G, Gu J. TV program recommendation for multiple viewers based on user profile merging. *User Modeling and User-Adapted Interaction*, 2006,16(1):63–82. [doi: 10.1007/s11257-006-9005-6]
- [21] O'Connor M, Dan C, Konstan JA, Riedl J. PolyLens: A recommender system for groups of users. In: Proc. of the European Conf. on Computer Supported Cooperative Work. Bonn: Kluwer Academic Press, 2001. 199–218.
- [22] Skowron P, Faliszewski P, Lang J. Finding a collective set of items: From proportional multirepresentation to group recommendation. *Artificial Intelligence*, 2014,241:191–216. [doi: 10.1016/j.artint.2016.09.003]
- [23] Garcia I, Sebastia L. A negotiation framework for heterogeneous group recommendation. *Expert Systems with Applications*, 2014, 41(4):1245–1261. [doi: 10.1016/j.eswa.2013.07.111]
- [24] Castro J, Quesada FJ, Palomares I, Martínez L. A consensus-driven group recommender system. *Int'l Journal of Intelligent Systems*, 2015,30(8):887–906. [doi: 10.1002/int.21730]
- [25] Ghazarian S, Nematbakhsh MA. Enhancing memory-based collaborative filtering for group recommender systems. *Expert Systems with Applications*, 2015,42(7):3801–3812. [doi: 10.1016/j.eswa.2014.11.042]
- [26] Amer-Yahia S, Omidvar-Tehrani B, Roy SB, Shabib N. Group recommendation with temporal affinities. In: Proc. of the 18th Int'l Conf. on Extending Database Technology. 2015. 159–168. [doi: 10.5441/002/edbt.2015.37]
- [27] Kaššák O, Kompan M, Bieliková M. Personalized hybrid recommendation for group of users: Top-N multimedia recommender. *Information Processing & Management*, 2016,52(3):459–477. [doi: 10.1016/j.ipm.2015.10.001]
- [28] Quijano-Sanchez L, Recio-Garcia JA, Diaz-Agudo B. An architecture and functional description to integrate social behaviour knowledge into group recommender systems. *Applied Intelligence*, 2014,40(4):732–748. [doi: 10.1007/s10489-013-0504-y]
- [29] Christensen I, Schiaffino S, Armentano M. Social group recommendation in the tourism domain. *Journal of Intelligent Information Systems*, 2016,47(2):1–23. [doi: 10.1007/s10844-016-0400-0]
- [30] Liu X, Tian Y, Ye M, Lee WC. Exploring personal impact for group recommendation. In: Proc. of the 21st ACM Int'l Conf. on Information and Knowledge Management. Hawaii: ACM Press, 2012. 674–683. [doi: 10.1145/2396761.2396848]
- [31] Yuan Q, Cong G, Lin CY. COM: A generative model for group recommendation. In: Proc. of the 20th ACM SIGKDD Int'l Conf. on Knowledge Discovery and Data Mining. New York: ACM Press, 2014. 163–172. [doi: 10.1145/2623330.2623616]
- [32] Berkovsky S, Freyne J. Group-Based recipe recommendations: Analysis of data aggregation strategies. In: Proc. of the 4th ACM Conf. on Recommender Systems (RecSys 2010). Barcelona: ACM Press, 2010. 111–118. [doi: 10.1145/1864708.1864732]
- [33] Ortega F, Bobadilla J, Hernando A, Gutiérrez A. Incorporating group recommendations to recommender systems: Alternatives and performance. *Information Processing & Management*, 2013,49(4):895–901. [doi: 10.1016/j.ipm.2013.02.003]
- [34] Pessemier TD, Dooms S, Martens L. Comparison of group recommendation algorithms. *Multimedia Tools & Applications*, 2014, 72(3):2497–2541. [doi: 10.1007/s11042-013-1563-0]
- [35] Shani G, Gunawardana A. *Recommender Systems Handbook*. New York: Springer-Verlag, 2010. 677–702.
- [36] Quijano-Sanchez L, Recio-Garcia JA, Diaz-Agudo B. Personality and social trust in group recommendations. In: Proc. of the 22nd Int'l Conf. on Tools with Artificial Intelligence. IEEE Press, 2010. 121–126. [doi: 10.1109/ICTAI.2010.92]
- [37] Recio-Garcia JA, Jimenez-Diaz G, Sanchez-Ruiz AA, Diaz-Agudo B. Personality aware recommendations to groups. In: Proc. of the 3rd ACM Conf. on Recommender Systems. New York: ACM Press, 2009. 325–328. [doi: 10.1145/1639714.1639779]
- [38] Gim G, Jeong H, Lee H, Yun D. Group-Aware prediction with exponential smoothing for collaborative filtering. In: Proc. of the 2nd Challenge on Context-Aware Movie Recommendation. Chicago: ACM Press, 2011. 11–14. [doi: 10.1145/2096112.2096115]
- [39] Said A, Berkovsky S, De Luca EW. Group recommendation in context. In: Proc. of the 2nd Challenge on Context-Aware Movie Recommendation. Chicago: ACM Press, 2011. 2–4. [doi: 10.1145/2096112.2096113]
- [40] Herlocker JL, Konstan JA, Terveen LG, John, Riedl T. Evaluating collaborative filtering recommender systems. *ACM Trans. on Information Systems*, 2004,22(1):5–53. [doi: 10.1145/963770.963772]
- [41] Ntoutsi E, Stefanidis K, Nørnvåg K, Kriegel HP. *Conceptual Modeling*. Berlin: Springer-Verlag, 2012. 126–140.

## 附中文参考文献:

- [1] 许海玲,吴潇,李晓东,阎保平.互联网推荐系统比较研究.软件学报,2009,20(2):350-362. <http://www.jos.org.cn/1000-9825/3388.htm>
- [5] 孟祥武,胡勋,王立才,张玉洁.移动推荐系统及其应用.软件学报,2013,24(1):91-108. <http://www.jos.org.cn/1000-9825/4292.htm> [doi: 10.3724/SP.J.1001.2013.04292]
- [6] 王立才,孟祥武,张玉洁.上下文感知推荐系统.软件学报,2012,23(1):1-20. <http://www.jos.org.cn/1000-9825/4100.htm> [doi: 10.3724/SP.J.1001.2012.04100]
- [7] 孟祥武,刘树栋,张玉洁,胡勋.社会化推荐系统研究.软件学报,2015,26(6):1356-1372. <http://www.jos.org.cn/1000-9825/4831.htm> [doi: 10.13328/j.cnki.jos.004831]
- [8] 张玉洁,杜雨露,孟祥武.组推荐系统及其应用研究.计算机学报,2016,39(4):745-764.



胡川(1992-),男,北京人,硕士生,主要研究领域为推荐系统,数据挖掘.



张玉洁(1969-),女,副教授,主要研究领域为网络服务,推荐算法.



孟祥武(1966-),男,博士,教授,博士生导师,CCF 高级会员,主要研究领域为网络服务,推荐服务,需求获取.



杜雨露(1987-),男,博士生,主要研究领域为个性化推荐系统.