















































- [57] Zhu WJ, Liang S, Wei YC, Sun J. Saliency optimization from robust background detection. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2014. 2814–2821.
- [58] Yang C, Zhang LH, Lu HC, Ruan X, Yang MH. Saliency detection via graph-based manifold ranking. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2013. 3166–3173.
- [59] Jiang BW, Zhang LH, Lu HC, Yang C, Yang MH. Saliency detection via absorbing markov chain. In: Proc. of the IEEE Int'l Conf. on Computer Vision. 2013. 1165–1672.
- [60] Qin Y, Lu HC, Xu YQ, Wang H. Saliency detection via cellular automata. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2015. 110–119.
- [61] Zhang JM, Sclaroff S, Lin Z, Shen XH, Price B, Mech R. Minimum barrier salient object detection at 80fps. In: Proc. of the IEEE Int'l Conf. on Computer Vision. 2015. 1404–1412.
- [62] Tu WC, He SF, Yang QX, Chien SY. Real-time salient object detection with a minimum spanning tree. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2016. 2334–2342.
- [63] Zhao R, Ouyang WL, Li HS, Wang XG. Saliency detection by multi-context deep learning. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2015. 1265–1274.
- [64] Wang LJ, Lu HC, Ruan X, Yang MH. Deep networks for saliency detection via local estimation and global search. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2015. 3183–3192.
- [65] Li GB, Yu YZ. Visual saliency based on multiscale deep features. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2015. 5455–5463.
- [66] Lee G, Tai YW, Kim J. Deep saliency with encoded low level distance map and high level features. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2016. 660–668.
- [67] Wang LZ, Wang LJ, Lu HC, Zhang PP, Ruan X. Saliency detection with recurrent fully convolutional networks. In: Proc. of the European Conf. on Computer Vision. 2016. 825–841.
- [68] Zhang PP, Wang D, Lu HC, Wang HY, Ruan X. Amulet: Aggregating multi-level convolutional features for salient object detection. In: Proc. of the IEEE Int'l Conf. on Computer Vision. 2017. 202–211.
- [69] Hou QB, Cheng MM, Hu XW, Borji A, Tu ZW, Torr P. Deeply supervised salient object detection with short connections. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2017. 3203–3212.
- [70] Wang WG, Shen JB, Dong XP, Borji A. Salient object driven by fixation prediction. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2018. 1711–1720.
- [71] Hu P, Shuai B, Liu J, Wang G. Deep level sets for salient object detection. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2017. 2300–2309.
- [72] Liu N, Han JW. DHSNet: Deep hierarchical saliency network for salient object detection. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2016. 678–686.
- [73] Liu Z, Zhang X, Luo SH, Meur OL. Superpixel-based spatiotemporal saliency detection. *IEEE Trans. on Circuits and Systems for Video Technology*, 2014,24(9):1522–1540.
- [74] Wang WG, Shen JB, Shao L. Consistent video saliency using local gradient flow optimization and global refinement. *IEEE Trans. on Image Processing*, 2015,24(11):4185–4196.
- [75] Wang WG, Shen JB, Porikli F. Saliency-aware geodesic video object segmentation. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2015. 3395–3402.
- [76] Wang WG, Shen JB, Yang RG, Porikli F. Saliency-aware video object segmentation. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, 2018,40(1):20–33.
- [77] Kim H, Kim Y, Sim JY, Kim CS. Spatiotemporal saliency detection for video sequences based on random walk with restart. *IEEE Trans. on Image Processing*, 2015,24(8):2552–2564.
- [78] Liu Z, Li JH, Ye LW, Sun GL, Shen LQ. Saliency detection for unconstrained videos using superpixel-level graph and spatiotemporal propagation. *IEEE Trans. on Circuits and Systems for Video Technology*, 2017,27(12):2527–2542.
- [79] Guo F, Wang WG, Shen JB, Shao L, Yang J, Tao DC, Tang YY. Video saliency detection using object proposals. *IEEE Trans. on Cybernetics*, 2018,48(11):3159–3170.

- [80] Chen CLZ, Li S, Wang YG, Qin H, Hao AM. Video saliency detection via spatial-temporal fusion and low-rank coherency diffusion. *IEEE Trans. on Image Processing*, 2017,26(7):3156–3170.
- [81] Chen YH, Zou WB, Tang Yi, Li X, Xu C, Komodakis N. SCOM: Spatiotemporal constrained optimization for salient object detection. *IEEE Trans. on Image Processing*, 2018,27(7):3345–3357.
- [82] Li J, Xia CQ, Chen XW. A benchmark dataset and saliency-guided stacked autoencoders for video-based salient object detection. *IEEE Trans. on Image Processing*, 2018,27(1):349–364.
- [83] Alshawi T, Long ZL, Alregib G. Unsupervised uncertainty estimation using spatiotemporal cues in video saliency detection. *IEEE Trans. on Image Processing*, 2018,27(6):2818–2827.
- [84] Wang WG, Shen JB, Shao L. Video salient object detection via fully convolutional networks. *IEEE Trans. on Image Processing*, 2018,27(1):38–49.
- [85] Li Y, Hou XD, Koch C, Rehg M, Yuille AL. The secrets of salient object segmentation. In: *Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition*. 2014. 280–287.
- [86] Everingham M, Gool LV, Williams CK, Winn J, Zisserman A. The pascal visual object classes (VOC) challenge. *Int'l Journal of Computer Vision*, 2010,88(2):303–338.
- [87] Lin TY, Maire M, Belongie S, Hays J, Perona P, Ramanan D, Dollar P, Zitnick CL. Microsoft COCO: Common objects in context. In: *Proc. of the European Conf. on Computer Vision*. 2014. 740–755.
- [88] Mathe S, Sminchisescu C. Actions in the eye: Dynamic gaze datasets and learnt saliency models for visual recognition. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, 2015,37(7):1408–1424.
- [89] Mital PK, Smith TJ, Hill RL, Henderson JM. Clustering of gaze during dynamic scene viewing is predicted by motion. *Cognitive Computation*, 2011,3(1):5–24.
- [90] Marszalek M, Laptev I, Schmid C. Actions in context. In: *Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition*. 2009. 2929–2936.
- [91] Rodriguez MD, Ahmed J, Shah M. Action mach a spatio-temporal maximum average correlation height filter for action recognition. In: *Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition*. 2008. 1–8.
- [92] Itti L. Automatic foveation for video compression using a neurobiological model of visual attention. *IEEE Trans. on Image Processing*, 2004,13(10):1304–1318.
- [93] Hadizadeh H, Enriquez MJ, Bajic IV. Eye-tracking database for a set of standard video sequences. *IEEE Trans. on Image Processing*, 2012,21(2):898–903.
- [94] Tsai D, Flagg M, Rehg JM. Motion coherent tracking with multi-label MRF optimization. In: *Proc. of the British Machine Vision Conf*. 2010. 1–11.
- [95] Li FX, Kim T, Humayun A, Tsai D, Rehg JM. Video segmentation by tracking many figure-ground segments. In: *Proc. of the IEEE Int'l Conf. on Computer Vision*. 2013. 2192–2199.
- [96] Brox T, Malik J. Object segmentation by long term analysis of point trajectories. In: *Proc. of the European Conf. on Computer Vision*. 2010. 282–295.
- [97] Ochs P, Malik J, Brox T. Segmentation of moving objects by long term video analysis. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, 2014,36(6):1187–1200.
- [98] Perazzi F, Pont-Tuset J, McWilliams B, Gool LV, Gross M, Sorkine-Hornung A. A benchmark dataset and evaluation methodology for video object segmentation. In: *Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition*. 2016. 724–732.
- [99] Borji A, Sihite DN, Itti L. Quantitative analysis of human-model agreement in visual saliency modeling: A comparative study. *IEEE Trans. on Image Processing*, 2012,22(1):55–69.
- [100] Borji A, Tavakoli HR, Sihite DN, Itti L. Analysis of scores, datasets, and models in visual saliency prediction. In: *Proc. of the IEEE Int'l Conf. on Computer Vision*. 2013. 921–928.
- [101] Riche N, Duvinage M, Mancas M, Gosselin B, Dutoit T. Saliency and human fixations: State-of-the-art and study of comparison metrics. In: *Proc. of the IEEE Int'l Conf. on Computer Vision*. 2013. 1153–1160.

- [102] Kummerer M, Theis L, Bethge M. Deep gaze I: Boosting saliency prediction with feature maps trained on imagenet. In: Proc. of the Int'l Conf. on Learning Representations Workshop. 2015. 1–12.
- [103] Zhang JM, Sclaroff S. Saliency detection: A Boolean map approach. In: Proc. of the IEEE Int'l Conf. on Computer Vision. 2013. 153–160.
- [104] Goferman S, Zelnik-Manor L, Tal A. Context-aware saliency detection. IEEE Trans. on Pattern Analysis and Machine Intelligence, 2012,34(10):1915–1926.
- [105] Bruce ND, Tsotsos JK. Saliency, attention, and visual search: An information theoretic approach. Journal of Vision, 2009,9(3): Article No.5.
- [106] Kruthiventi SS, Gudisa V, Dholakiya JH, Venkatesh Babu R. Saliency unified: A deep architecture for simultaneous eye fixation prediction and salient object segmentation. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2016. 5781–5790.
- [107] Guo CL, Zhang LM. A novel multiresolution spatiotemporal saliency detection model and its applications in image and video compression. IEEE Trans. on Image Processing, 2010,19(1):185–198.
- [108] Fang YM, Lin WS, Chen ZZ, Tsai CM, Lin CW. A video saliency detection model in compressed domain. IEEE Trans. on Circuits and Systems for Video Technology, 2014,24(1):27–38.
- [109] Wang WG, Shen JB, Shao L, Porikli F. Correspondence driven saliency transfer. IEEE Trans. on Image Processing, 2016,25(11): 5025–5034.
- [110] Li X, Zhao LM, Wei LN, Yang MH, Wu F, Zhuang YT, Ling H, Wang JD. Deep saliency: Multi-task deep neural network model for salient object detection. IEEE Trans. on Image Processing, 2016,25(8):3919–3930.
- [111] Li GB, Yu YZ. Deep contrast learning for salient object detection. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2016. 478–487.
- [112] Luo ZM, Mishra A, Achkar A, Eichel J, Li SZ, Jodoin PM. Non-local deep features for salient object detection. In: Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition. 2017. 6593–6601.
- [113] Zhang PP, Wang D, Lu HC, Wang HY, Yin BC. Learning uncertain convolutional features for accurate saliency detection. In: Proc. of the IEEE Int'l Conf. on Computer Vision. 2017. 212–221.
- [114] Wang TT, Borji A, Zhang LH, Zhang PP, Lu HC. A stagewise refinement model for detecting salient objects in images. In: Proc. of the IEEE Int'l Conf. on Computer Vision. 2017. 4039–4048.
- [115] Chen XW, Zheng AL, Li J, Lu F. Look, perceive and segment: Finding the salient objects in images via two-stream fixationsemantic CNNs. In: Proc. of the IEEE Int'l Conf. on Computer Vision. 2017. 1050–1058.
- [116] Wang TT, Zhang LH, Lu HC, Sun C, Qi JQ. Kernelized subspace ranking for saliency detection. In: Proc. of the European Conf. on Computer Vision. 2016. 450–466.
- [117] Song HM, Wang WG, Shen JB, Zhao SY, Lam KM. Pyramid dilated deeper convLSTM for video salient object detection. In: Proc. of the European Conf. on Computer Vision. 2018. 715–731.
- [118] Leventhal AG. Vision and Visual Dysfunction: The Neural Basis of Visual Function. 1991.



王文冠(1990—),男,河北磁县人,博士,CCF 学生会会员,主要研究领域为计算机视觉,人工智能。



贾云得(1962—),男,博士,教授,博士生导师,CCF 杰出会员,主要研究领域为计算机视觉,人工智能。



沈建冰(1978—),男,博士,教授,博士生导师,CCF 专业会员,主要研究领域为计算机视觉,人工智能。